

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Patent Application of

David Brian ZAUN et al.

Serial No. 09/737,328

Filed: December 14, 2000

For: DYNAMIC RECONFIGURATION
OF INPUT FILTERING
PARAMETERS FOR AN MPEG
MULTIPLIER



Attn: Applications Branch

**RESPONSE TO NOTICE OF INCOMPLETE
REPLY (NONPROVISIONAL)**

Assistant Commissioner for Patents
BOX PATENT APPLICATION
Washington, D.C. 20231

Sir:

In response to the Notice of Incomplete Reply (Nonprovisional) mailed July 12, 2001 (copy of which is returned herewith), attached hereto are substitute drawings as requested, referring to the above-identified serial number and filing date.

The Commissioner is hereby authorized to charge any additional fees associated with this communication or credit any overpayment to Deposit Account No. 18-0013. A duplicate copy of this letter is enclosed for that purpose.

Respectfully submitted,

Dated: August 16, 2001

Brian K. Dutton
Reg. No. 47,255

Rader, Fishman & Grauer PLLC
Suite 501
1233 20TH Street, N.W.
Washington, D.C. 20036
Telephone: (202) 955-3750

T.D. 9/18/01 "B2E" 4/60



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/737,328	12/14/2000	David Brian Zaun	GEN-165

23353
RADER FISHMAN & GRAUER PLLC
LION BUILDING
1233 20TH STREET N.W., SUITE 501
WASHINGTON, DC 20036



CONFIRMATION NO. 9518

FORMALITIES LETTER



OC000000006289870

Date Mailed: 07/12/2001

NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)

Filing Date Granted

The U.S. Patent and Trademark Office has received your reply on to the Notice mailed and it has been entered into the nonprovisional application. The reply, however, doesnot include the following items required in the Notice.

The period of reply remains as set forth in the Notice. You may, however, obtain EXTENSIONS OF TIME under the provisions of 37 CFR 1.136 (a) accompanied by the appropriate fee (37 CFR 1.17(a)).

A complete reply must be timely filed to prevent ABANDONMENT of the above-identified application.

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);
 - Drawings must be reasonably free from erasures and must be free from alterations, overwritings, interlineations, folds, and copy marks.

A copy of this notice MUST be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE